

Kubota L4240

Overview | Engine | Transmission | Dimensions | Photos | Attachments



2007 - 2013
L40 Series
Compact Utility tractor

Series map:
L3940
40.5hp

L4240
44.0hp

L4740
47.0hp

L4330↓ 2003-2007

Production

Manufacturer Kubota

Compact Utility tractor

Original price \$23,949 (2011)

The "semi-independent" mid PTO is linked with the rear PTO. Whenever the mid PTO is engaged, the rear PTO will also be engaged. The rear PTO can be run without the mid PTO.

Variants

L4240DT	8-speed
L4240GST	12-speed
L4240HST	hydro
L4240HSTC	hydro cab

Kubota L4240 Engine

Kubota 2.2L 4-cyl diesel

Kubota L4240 Transmissions

hydrostatic
8-speed
12-speed



Engine details ...



Transmission details ...

Kubota L4240 Power

Engine (gross)	44 hp 32.8 kW
Engine (net)	42 hp 31.3 kW
Gear PTO (claimed)	36.5 hp 27.2 kW
Hydro PTO (claimed)	35 hp 26.1 kW

Mechanical

Four-wheel drive
Differential lock ☐ standard
Steering ☐ hydrostatic power steering
Mechanical wet disc brakes
Two-post ROPS. Grand CAB on HSTC.

Photos



Kubota L4240 photos...

Capacity

Fuel	13.2 gal 50.0 L
Hydraulic system	11.4 gal 43.1 L
Front axle	9.5 qts 9.0 L

Hydraulics

Type	open center
Capacity	11.4 gal 43.1 L
Valves	2 to 3
Pump flow	9.8 gpm 37.1 lpm
Total flow	14.7 gpm 55.6 lpm
Steering flow	4.9 gpm 18.5 lpm

Tractor hitch

Rear Type	I
-----------	---

Power Take-off (PTO)

Rear PTO	independent
Rear PTO Type	540

Rear lift (at ends)	3,860 lbs 1750 kg	Engine RPM	540@2550
Rear lift (at 24"/610mm)	2,760 lbs 1251 kg	Mid PTO	semi-independent (optional)
		Mid PTO Type	2000

Dimensions & Tires

Wheelbase	74.6 inches 189 cm
Weight	3527 to 4001 pounds
Front tire	8.3-16
Rear tire	14.9-24

 [Full dimensions and tires ...](#)

Kubota L4240 attachments

- snowblower
- blade
- front-end loader
- backhoe

 [Attachment details ...](#)

Electrical

Ground	negative
Charging system	alternator
Charging amps	40
	55 (cab)
Battery CCA	582
Battery volts	12